global mapper

getting started guide



bluemarblegeo.com

Welcome to Global Mapper

Thank you for using Global Mapper, the all-in-one GIS application from Blue Marble Geographics. As you will soon discover, this unique software offers an extensive collection of spatial data processing tools in an easy-to-use application that no GIS professional or map enthusiast should be without.

As you begin to explore the wealth of features and functions in Global Mapper, you will learn that this is a truly remarkable software tool. Nowhere else will you find a single application that offers the level of file format support, data visualization options, digitizing capabilities, spatial analysis tools, lidar and 3D analysis functionality, and map design tools, right out of the box.

At Blue Marble Geographics, we are committed to ensuring our customers are provided with the information and resources necessary to effectively use the software they have purchased. To that end, we are pleased to offer a collection of instructional materials to help you get up and running in no time.

This Getting Started Guide is designed to assist with the basic operation of Global Mapper and to help you understand some of the commonly used features and functions. For a complete guide to all the software's capabilities, use the Help menu to choose *Help...* or click the F1 key on your keyboard. If formal instruction or self-training is required, visit https://www.bluemarblegeo.com/gis-training/ to find out about currently available programs and resources.

Welcome to Global Mapper

Installation and Licensing

Installing Global Mapper	5
Registering Global Mapper	5
Activating Optional Extensions	5

Navigating the Interface

Menus	. 6
Toolbars	7

Configuration

Layer and File Management

The Control Center	11
The Options Dialog Box	11
Saving the Workspace	
Working with Imported Layers	
Working with Digitized Features	12
Global Mapper Package Files	

Importing Data

Supported Data Formats	. 13
Importing Vector, Raster, and Elevation Layers	. 13
Importing Text Files	13
Georectifying Image Files	. 13
Working with Spatial Databases	14

Accessing Online Data

Using the Download Online Data Function	. 15
Saving Data for Use Offline	.15

Using the Digitizer

Drawing Freehand Features	
Additional Digitizer Tools	
The Modify Feature Info Dialog Box	17
Editing Vector Features	
Deleting Features	17

Working with Attributes

The Attribute Editor	18
Joining and Calculating Attributes	18
Advanced Attribute Options	18

Using the 3D Functionality

Where to Find 3D Data	19
Creating a Terrain Map from 3D Vector Features	19
3D Options and Preferences	
Visualizing the Map as a 3D Model	20
Working with Point Cloud Data	
3D Analysis Functions	20
Assigning Height or Depth to Vector Features	
Working with 3D Models or Meshes	
Creating a 3D Fly-Through Recording	

Using Global Mapper Pro

Activating Global Mapper Pro	23
Advanced Lidar and Point Cloud Functionality:	23
Photo Generated Point Clouds and Models:	23
Image and Terrain Analysis:	24
Scripting Tools:	24

Exporting and Printing Maps

Exporting Global Mapper Package Files	25
Exporting Vector, Raster, and Elevation Layers	25
Exporting to a Spatial Database	
Uploading Maps to an Online MangoMap	25
Printing the Map	
Creating a Geospatial PDF	
Capturing a Screenshot	

Where to Find Help

Global Mapper Help Documents	. 27
Online Resources	. 27

The Global Mapper Forum	27
Training Opportunities	27
Global Mapper Support	27

Useful Keyboard Shortcuts

General Application	
File Management	
Tools Selection	
Zooming and Panning	
Digitizer Functions	
Custom Keyboard Shortcuts	

How do I...?

How do I register Global Mapper?	29
How do I reproject a layer?	29
How do I change the background color of the map window?	29
How to I recover a deleted feature?	29
How do I add text to the map without an accompanying symbol?	29
How do I save map layers from an online data source for offline use?	29
How do I automate data processing tasks in Global Mapper?	29

Installation and Licensing

Installing Global Mapper

The current version of Global Mapper can be downloaded from the following web page:

https://www.bluemarblegeo.com/global-mapper-download/

Choose to download the Global Mapper executable installer. The 64-bit version is the default download and will take full advantage of the extra memory available and will improve the performance of the software. Several non-English language versions are also available. To install Global Mapper, simply double-click the executable. File installation will take no more than a couple of minutes.

Registering Global Mapper

The first time you launch Global Mapper, you will see the **Register Global Mapper** window. The option you select will determine the authorization method and the level of functionality available to you when you run the software.

Log in with a Blue Marble Geographics account to request a trial license or activate a single-user license from a recent purchase (requires an order number). Use the *Manage Login* link to create a new account or to recover a lost password.

Offline Activation

Activate using a license file provided to you by email. This also displays the computer's information that can be sent to authorize@bluemarblegeo.com to request a license for an off-line machine.

Connect to a Network License Server

If your company or organization has set up a network licensing system, you can use this option to check out a license while you are using the software. When you no longer need the license, it can be returned and used by someone else in your organization.

Continue without Registering

An unregistered version of Global Mapper offers limited functionality (no support saving or loading workspaces, no export options, no 3D Viewer, etc.) and is not intended for data management or production.

Activating Optional Extensions


After registering Global Mapper, you will have the option to expand the software's functionality with add-on licenses.



Unlocking additional functionality requires the purchase of the appropriate license and include Global Mapper Pro. Extensions are typically developed and registered by third party developers, however a preconfigured extension called the COAST extension is installed with Global Mapper. This powerful tool is used to analyze the financial impact of coastal flooding.

Navigating the Interface

Global Mapper's user interface has been designed to provide easy and intuitive access to all of the software's features and functions. The key elements of the interface are the menus, the toolbar, and, of course, the map window itself. A variety of dialog boxes and floating windows provide access to additional tools or more advanced functionality.



Menus

The menus in Global Mapper are intuitively organized by function and offer access to all of the features and functions in the application. Note that, as with other software titles, there are often many ways to access a particular tool in Global Mapper. For example, the action of importing a layer can be performed using the Open Data File option in the File menu; the Open Data File button in the toolbar; or by using the Ctrl+O keyboard shortcut. How you chose to perform this and other commonly used functions comes down to your personal preference.

The following summarizes the primary function of each menu:

File

The File menu contains all of the options for importing, exporting and saving data. It also includes a list of recently imported files, providing convenient access to frequently used layers.

Edit

The primary function of the Edit menu is to enable the copying and pasting of features and to control the associated options.

View


The View menu includes an array of settings for configuring the appearance of the interface and of the map itself. There are also options for manually adjusting the zoom level and for saving and restoring a specific map view.

Tools

As its name implies, the Tools menu contains a selection of tools that are used to interact with features on the map. Based on the tool that is selected, the function of the cursor on the map will change. This menu also provides access to certain other dialog boxes such as the Overlay Control Center and the Map Layout options.

Digitizer

The Digitizer menu lists many of the feature creation and editing operations available in Global Mapper. Based on features that are selected on the map, different options in the sub-menus branching off will be available to use.



Analysis

The Analysis menu consolidates many of the analytical functions into a convenient single list. While most of the analysis tools, such as watershed and contour generation, focus on working with elevation data, this menu also offers access to additional functions including the Raster Calculator and Graph and Chart Manager.

Layer

The Layer menu provides access to a variety of operations that are performed against a layer or layers selected in the Control Center. These include attribute joining and calculation.

Search

The Search menu offers several options for querying or editing feature attributes. It also includes an address search function that includes geocoding capability.

GPS

When a compatible GPS receiver is connected to your computer, the position can be represented by a symbol on the map. The GPS menu controls the configuration and interaction between Global Mapper and a connected GPS device.


Help

The Help menu provides a single point of access for the various help options and other resources that are available for Global Mapper. For more information.


Toolbars

The buttons on Global Mapper's toolbars offer the most convenient way to select a tool, to open certain dialog boxes, or to switch between one function and another. If necessary, toolbars can be removed from the interface using the Toolbars option in the View menu, or can be undocked or moved to another position. Within each individual toolbar, buttons can be removed or added as needed.


The following are the buttons in the File toolbar:



Adding additional map view can help to better display and explore data:



The Favorites toolbar provides a convenient way to access commonly used components of Global Mapper:



Configuration

The Configuration dialog box can be opened from the Tools menu or by clicking the Configuration button in the toolbar and it offers a single location for establishing personal settings and preferences that control many of the features and functions of the software.

General Seconfiguration - General × 📹 General Background Color The General options include the General Select.. default units of measurement, back- Export ground color and coordinate format. Measure/Units Map View Options Vector Formats Show pixel location in Status Bar Raster Formats Vector Display Always display Lat/Lon in Status Bar/Info as WGS84 Advanced Always display Lat/Lon with padding 🗎 Vector Display The function of Vector Display is to Add full path to Control Center descriptions Display Options control the appearance of point, Center on cursor when zooming with mouse wheel Styles line, and area features on the map. Projection Swap zoom direction using mouse wheel or hot keys 3D View Properties Display pan arrows on map edge Specific options include filtering data Vertical Options Prompt when loading duplicate file names types and adjusting the display Shader Options Automatically interpolate zoomed-out display order. Lidar Workspace Options Feature Templates Automatically create backup workspace files GPS Options **Display Options** Lock active workspace file to prevent sharing The Display Options are used to con-Search Options Run default query when launching Search function figure the display of map elements Other Options including the scale bar and legend. Ask before opening multiple Attribute Editors in tabbed panes Styles Restore Default Settings These options are used to create and manage feature types that can be assigned to polygons, lines, or points. Applying a feature type to a vector feature will automatically adjust the appearance of the feature and assign a custom list of attributes if required. OK Cancel Apply Help

Projection

The Projection section is used to alter the coordinate reference information for onscreen display and reproject a layer from one system to another before exporting.

3D View Properties

3D View Properties, which is also accessible directly from the 3D Viewer, includes numerous options for controlling the behavior and display of the 3D map view. These include vertical exaggeration, back-ground color, and 3D vector display.

Vertical Options

Vertical Options offers settings that control the display of elevation or terrain layers. These settings include the selection of a shader pattern and customization of the hill shading.

Shader Options

Shader Options controls the visual display of several preconfigured elevation and slope shader patterns and allows new patterns to be created.

Lidar

The Lidar settings are used for filtering a point cloud based on classification or return types.

Feature Templates

The function of Feature Templates is to create a set of preconfigured attributes that streamline the process of digitizing or data collection, especially when using Global Mapper Mobile.

GPS Options

GPS Options offers several settings for controlling the tracking process when using a connected GPS receiver.


While the Configuration dialog box offers access to most of Global Mapper's preferences and settings options, many other components of the software contain feature-specific settings that are established when performing that function. For example, when exporting a file in a particular format, many of the preferences associated with the exported file are set in the Export Options dialog box.

Layer and File Management

The Control Center

The Control Center is Global Mapper's layer management tool. It can be opened from the Tools menu, by clicking the Open Control Center button in the Toolbar, or by using the keyboard shortcut Alt+C. Unlike most other dialog boxes, the Control Center can remain open while using other tools in the software. The Control Center window can also be docked by dragging the dialog box to one of the edges of the map window.

There are two ways in which a layer can be removed from the map display: the adjacent box in the Control Center can be unchecked or the selected layer can be removed completely by using the keyboard Delete key or highlighting the layer and choosing the Close (Unload Layers) button. Using the uncheck option, the layer is retained and can be simply checked on again



when needed. Closing an overlay permanently removes it and any unsaved edits or created features will be lost.

Right-clicking on a selected layer or layers in the Control Center offers a variety of options for managing the layer. For instance, the Description or name of the layer can be changed, or multiple layers can be grouped in a tree view. This right-click menu also offers access to the Layer Options dialog box, which is used to adjust certain settings pertaining to a layer.

The Options Dialog Box

The tabs in the Options dialog box differ depending on the data type contained in the selected layer:

Vector Options

The primary functions of the Vector Options dialog box include managing the display of labels; assigning features to a feature-type category; and adjusting the display characteristics of the features in the layer (fill pattern, symbol style, etc.).

Raster Options

The Raster Options dialog box includes tools for establishing transparency; adjusting color balance, contrast, etc.; and cropping an image to a defined area.

Elevation Options

The available Elevation Options include tools for offsetting elevation values in the layer and for defining the range of visible elevations.

Each of the Options dialog boxes includes Map Zoom, to control the zoom range within which the layer will be displayed, and Layer Projection tab, which is used to reinterpret the coordinate values associated with the selected layer. Adjusting these projection parameters will result in the contents of the layer being physically moved to a new location and should only be performed when you know the original coordinate settings were incorrect. To simply reproject your map, use the Projection section in the Configuration dialog box.

Saving the Workspace

	Load Workspace	Ctrl+W	Th th
E	Save Workspace	Ctrl+S	ag
	Save Workspace As	Ctrl+Shift+S	Ma

The workspace is the core file management component of Global

Mapper. It allows you to store information about the layers that are displayed on the map as well as any settings or

Vector Options			×
Elevations Area Styles	Map Zoom	Feature Types Layer Projection	
Load Style File	Save Style File	Save SLD File	
Use Default Style Use Same Style	e Based on Classifica for All Features	tion or Custom Style Select Style	
	sed on Attribute/Nam	e Values	
Attribute/Name to <feature name=""></feature>	Base Style On	\[
Set up Styling Bas	ed on Values	(MAN)	
	les (Right Click for M	ore Options)	
	ors/Scale Between N	umeric Values	
New Value	Delete	Load Values	
Edit Value	Edit Style	Classify	
O Assign Random (Colors to Features		
Select Base St	yle Select Pa	lette	
Style Same if Ma	atches: <feature pes Used for Selecter</feature 		
ОК	Cancel	Apply Help	

configuration that have been applied to these layers. At its most basic level, a workspace is a file (*.gmw) that records a snapshot of your current map view.

To save your workspace, click the Save button in the toolbar or click the File menu and select *Save Workspace...* If a workspace was not previously saved, you will be prompted to name and choose a location for the file. You can also create a duplicate of an existing workspace by using the File > *Save Workspace As...* option. This function is useful for establishing a workspace template, possibly containing all layers or covering the full extent of your area of interest. Any workspaces created from this template using the *Save Workspace As...* command will inherit all of the layers and settings from the original and can then be individually modified to reflect the requirements of a particular project or job site.

Working with Imported Layers

An important consideration when working with workspace files is that they do not actually contain the map data from any files that are imported. Instead, the workspace records the path to the original file location as well as any edits or configuration that has been applied to this layer. If the path to the file location is broken, such as when you disconnect from your network or when the file is deleted or moved to a new location, the workspace will not load correctly and an error message will be displayed. For this reason, workspace files should typically not be shared with other Global Mapper users, assuming that the path to the included data is unique to the original computer.

Working with Digitized Features

Points, lines, and area features that are created using Global Mapper's Digitizer tools are stored directly in the workspace file. Modifications or additions made to any imported data are similarly archived internally within the software and are only applied to the original external data using the export function.

Global Mapper Package Files

An efficient way to share data among Global Mapper users is to create a Global Mapper Package file (.gmp). Unlike the aforementioned workspace format, a package file contains all of the map data from any previously imported layers and it retains all of the configuration settings and edits that were applied to these layers. A single Global Mapper package file can contain data in any format (raster, vector, and/or elevation) and as such, it provides an extremely efficient tool for exchanging maps and spatial data among Global Mapper users.

Global Mapper Package files also offer a simple way to create backups of important datasets that can easily be reimported in the event of a loss of the original data or hardware failure.

Importing Data

Supported Data Formats

One of the defining characteristics of Global Mapper is the volume and variety of file formats that can be imported into the software. In the current version, over 300 file-types are supported, including all common spatial formats, such as ESRI shapefiles, KML files, MrSID imagery, and lidar point clouds. If Global Mapper doesn't support your data, contact Blue Marble and the software development team will determine if the format is compatible. A list of the currently supported formats is available in the Global Mapper Help pages.

Importing Vector, Raster, and Elevation Layers

There are several ways to import data into Global Mapper: the File > *Open Data File(s)* command, the Open Data File (s) button in the File Toolbar; or the Ctrl+O keyboard shortcut. In each case, you will be prompted to browse to the required file to initiate the import process.

Most formats of vector, raster, and elevation formats are imported using the same dialog box and the same procedure. Text files are a common exception that require some additional user input. Global Mapper is able to differentiate the various formats and automatically assigns each to the appropriate overlay type. If required, you may be asked to define the coordinate parameters, to verify the data format for files with unconventional suffixes, or to manual rectify the file if there is no inherent geographic reference information.

When importing, it is possible to select multiple files by holding down the Ctrl or Shift key while selecting the required files in the Open dialog box. Alternatively, you can open all compatible files in a specified folder or directory tree using the File > Open All Files in a Directory Tree command.

Finally, and perhaps most conveniently, you can simply drag and drop a compatible file onto the Global Mapper window to automatically initiate the import process.

Importing Text Files


Text files containing a list of coordinate values can be imported into Global Mapper and used to create points, lines, or area features. To initiate the text file import process, use the File > Open Generic Text File(s) command.

After selecting the required file, you will be prompted to assign certain parameters for the imported file such as the order and format of the coordinate values, the number of header rows in the file, and whether or not to import accompanying attributes.

Georectifying Image Files

Global Mapper's Image Rectifier function provides a powerful tool for creating a geographically referenced raster layer from virtually any image file or PDF. The procedure usually involves identifying visible features in the imported image and tagging each of these with their corresponding coordinates.

Import Type O Point Only (All	Features	are Points)			Select Sheet Select the shee	et to load data f	rom.	OK	
Point, Line, and Area Features Area Only (All Features are Polygons / TINs)				Site 1			~	Cancel	
Elevation Grid from 3D Point Data Lidar Point Cloud (3D Points + Optional Intensity/Color)			Feature Classific Assign Loaded	Hel	p				
Coordinate Order:	X/Eas	tina / Longitude Coc	ordinate Fir:	st ~	Unknown Are			~	
Coordinate Format:	Default	(Decimal or Separat)	edl	~			the Classification:		
Coordinate Layou		(b contai or coparat			Unclassified L			~	
Use custom ci		nositiono					the Classification:		
_					Unknown Poir			~	
Fields to Skip at S	start of Li	ne: 0			-		the Classification:		
Rows to Skip at S	Start of Fil	e: 0			0 · Created, ne	ever classified			
Coordinate Pairs F	Per Line:	1			🗹 Include attrib	utes from lines	with coordinate da	ata	
Coordinate Pairs F		1			_		with coordinate da of file (points/WK1		
Coordinate Line P	refix	ear immediately at th	e start of a	ny	Column head	lers in first row o ordinate value a	of file (points/WK1 as elevation. No D	fonly) ata = -999999	
Coordinate Line P	refix	1 ear immediately at th they appear in.	e start of a	ny	Column head Treat 3rd coo Treat coordin	lers in first row o ordinate value a nate values 4-8	of file (points/WKT as elevation. No D as fly-through pat	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin lines in the tex	trefix nates app st file that	1 earimmediately at th they appearin. in with the text string			Column head Treat 3rd coo Treat coordin	lers in first row o ordinate value a nate values 4-8	of file (points/WK1 as elevation. No D	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin lines in the tex	trefix nates app st file that				Column head Treat 3rd coo Treat coordir Break Line/A	lers in first row o ordinate value a nate values 4-8	of file (points/WKT as elevation. No D as fly-through pat n Change in Field	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin lines in the tex	trefix nates app st file that				Column head Treat 3rd cor Treat coordir Break Line/A Break Fi	lers in first row o ordinate value a nate values 4-8 wrea Features o	of file (points/WK1 as elevation. No D as fly-through pat n Change in Field Jown (0/1)	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin fines in the tex All coordinate	refix nates app t file that lines beg		specified I		Column head Treat 3rd cor Treat coordir Break Line/A Break Fi	lers in first row o ordinate value a nate values 4-8 orea Features o eld is Pen Up/E	of file (points/WK1 as elevation. No D as fly-through pat n Change in Field Jown (0/1)	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin fines in the tex All coordinate	refix nates app t file that lines beg	in with the text string	specified I		Column head Treat 3rd cor Treat coordir Break Line/A Break Fi	lers in first row o ordinate value a nate values 4-8 orea Features o eld is Pen Up/E	of file (points/WK1 as elevation. No D as fly-through pat n Change in Field Jown (0/1)	「only) !ata =9999999 h data	
Coordinate Line P None. Coordin lines in the tex All coordinate Sel	trefix hates app t file that lines beg ect Coord	in with the text string	specified I		Column head Treat 3rd cor Treat coordir Break Line/A Break Fi	lers in first row (ordinate value a rate values 4-8 vrea Features o eld is Pen Up/E from Closed Lii	of file (points/WK1 as elevation. No D as fly-through pat n Change in Field Down (0/1) nes	「only) !ata =9999999 h data	F
Coordinate Line P None. Coordin Ines in the tex All coordinate Sel Excel File LONGITUDE -81.425541388	refix nates app t file that lines beg ect Coord	in with the text string dinate Offset/Scale LATITUDE 49.0650389444	LABEL Echo	NAME Echo	Column heac Treat 3rd coor Treat coordir Break Line/6 Break Line/6 Break Line/6 Create Areas POINT_SYMBOL Dot	lers in first row o ordinate value a nate values 4-8 wea Features o ald is Pen Up/I from Closed Lii FONT_SIZE 10	of file (points/wK1 is elevation. No D as fly-through pati n Change in Field Jown (0/1) nes FONT_COLOR RGB(0.0;0)	fonly) Hata 999999 h data 3 FONT_CHARSET 1	40
Coordinate Line P None. Coordin Innes in the tex All coordinate Sel Excel File LONGITUDE -81.425541388 -80.233870722	refix nates app t file that lines beg ect Coord 19 2	in with the text string dinate Offset/Scale LATITUDE 49.0650389444 46.1922614444	LABEL Echo Arlo	NAME Echo Arlo	Column head Treat 3rd cod Treat Coordin Break Line/A Break Line/A Break Fil Create Areas POINT_SYMBOL Dot Dot	lers in first row o ordinate value a nate values 4-8 vrea Features o eld is Pen Up/E from Closed Lii FONT_SIZE 10 10	of file (points/wK1 as elevation. No D as fly-through pati in Change in Field Jown (0/1) nes FONT_COLOR RGB(0.0.0) RGB(0.0.0)	f only) lata = [-3393999] h data 3 5 FONT_CHARSET 1	F0
Coordinate Line P None. Coordin All coordinate Coordina	refix nates app t file that lines beg ect Coord 9 9 2 90001	in with the text string dinate Offset/Scale LATITUDE 49.0650389444 46.1922614444 48.6820019444	LABEL Echo Arlo Buddy	NAME Echo Arlo Buddy	Column head Treat 3rd cor Treat cordin Break Line/A Break Line/A Break Fin Create Areas POINT_SYMBOL Dot	lers in first row o ordinate values a nate values 4-8 vrea Features o eld is Pen Up/E from Closed Li from Closed Li from Closed Li 10 10	of file (points/wK1 ss elevation. No D as fly-through pat n Change in Field Nown (0/1) nes FONT_COLOR RGB(0.0,0) RGB(0.0,0) RGB(0.0,0)	f only) ata = 999999 h data 3 FONT_CHARSET 1 1	40 40 40
Coordinate Line P None. Coordin lines in the tex All coordinate Sel Excel File LDNGITUDE -81.425541388 -90.2338707222 -75.807665388 -77.467492388	refix nates app t file that lines beg ect Coord 9 2 90001 9	in with the text string dinate Offset/Scale LATITUDE 49.0650389444 46.1922614444 40.8297434444	LABEL Echo Arlo Buddy Gibson	NAME Echo Arlo Buddy Gibson	Column head Treat 3rd coo Treat coordin Break Line Break File Create Areas POINT_SYMBOL Dot	lers in first row o ordinate value a nate values 4-8 trea Features o eld is Pen Up/E from Closed Lii FONT_SIZE 10 10 10	of file (points/wK1 ss elevation. No D as fly-through pati in Change in Field Jowin (0/1) nes FONT_COLOR RGB(0.0:0) RGB(0.0:0) RGB(0.0:0)	f only) lata = [-393939] h data 3 FONT_CHARSET 1 1 1 1	40 40 40 40
Coordinate Line P None. Coordin All coordinate Coordina	refix nates app t file that lines beg ect Coord 9 2 2 90001 9 8	in with the text string dinate Offset/Scale LATITUDE 49.0650389444 46.1922614444 48.6820019444	LABEL Echo Arlo Buddy Gibson Kona	NAME Echo Arlo Buddy	Column head Treat 3rd cor Treat cordin Break Line/A Break Line/A Break Fin Create Areas POINT_SYMBOL Dot	lers in first row o ordinate values a nate values 4-8 vrea Features o eld is Pen Up/E from Closed Li from Closed Li from Closed Li 10 10	of file (points/wK1 ss elevation. No D as fly-through pat n Change in Field Nown (0/1) nes FONT_COLOR RGB(0.0,0) RGB(0.0,0) RGB(0.0,0)	f only) ata = 999999 h data 3 FONT_CHARSET 1 1	40 40 40



To import an image, either use the standard File > Open (Ctrl +O) command or File > Rectify (Georeference) Imagery. If you choose the latter, you have the option to directly export the resulting raster file after the required control points have been assigned.

After selecting the file to be imported, the Image Rectifier dialog box is displayed showing an overview of the image; a zoomed view of the image in which the control points can be precisely placed; and a zoomable view of the current map. To begin the process, click an identifiable point on the image, click the corresponding point in the adjacent map, and click the Add Point to List button. Repeat this process for several additional points spaced as far apart as possible. Alternatively, you can manually type the X and Y pixel values from the image and/or type the corresponding coordinate values derived from surveyed ground control points.

After all of the control points have been assigned, click the OK button to create a new raster layer. To correct any errant registration points, select the layer in the Control Center, right-click and choose RECTIFY – Modify Layer Position/Projection.

Working with Spatial Databases

As an alternative to importing files, advanced users can establish a direct connection to an existing spatial database, which allows Global Mapper to both read and write data directly from the database tables. Among the supported database types are ESRI ArcSDE, ESRI File and Personal Geodatabases, MS SQL Spatial, Oracle Spatial, PostGIS, and Spatialite.

To establish a connection to a spatial database, open the Spatial Database Connection Manager (Tools > Connection Manager), click the New button, and enter the required settings. To import data from a connected database, click the File menu and choose Open Spatial Database, select the database name, click the Open button, and select from the available tables.

Accessing Online Data

Using the Download Online Data Function

A great way to get started making maps with Global Mapper is stream data from one of the many free online datasets. Numerous government agencies, organizations, and commercial companies provide direct streaming access to their spatial data archives through Web Map Service (WMS), Web Coverage Service (WCS) and other online protocols. Global Mapper includes preconfigured links to many of these servers.

To initiate the download process, click the Online Sources quick-start button on the introductory screen or click the Download Online Data button from the toolbar. In both cases, the resulting dialog box will list all of the available Data Sources, categorized by type or by geographic area. After expanding a category list, simply select the required data source and set the extent of the data to download using the options at the bottom of the window.



On occasion, you may find that the service that you require is not available and you will see an error message to that effect. This circumstance may be due to routine system maintenance, excessive traffic, or other technical issues. Unfortunately Blue Marble has no control over the availability of these online map sources so it is recommended that you save the data to a local file so you do not have to continually depend on the streamed service. See below for more information.

Premium Data Sources

Blue Marble has partnered with several commercial data providers to offer convenient access to highquality imagery and elevation datasets. If you select one of the Premium Content options in the Online Data Source dialog box, you will be prompted to enter the appropriate log-in details or data access ID number to download the data. Information on subscribing to these services can be obtained from the data provider's web site.

Adding Custom Data Sources

While Global Mapper includes numerous preloaded maps services, you can also add custom online sources if they are available for your area of interest. Many GIS departments now use the web as an efficient delivery mechanism for their datasets and Global Mapper allows you to set up a direct link to this data. After clicking the Add New Source button in the Online Data dialog box, simply enter the appropriate URL to establish this link.

Saving Data for Use Offline

Because the availability of the streaming data services cannot be guaranteed, it strongly recommended that you save a local copy of any online map data. Not only will this ensure that you will always have access to the required layers, even when offline, but it will significantly speed up the map draw speed when working with this data.

To save streamed data, click the File menu and select Export > Export Raster/Image Format, choose a file format when prompted, and enter the file settings as needed. A good format choice is JPEG 2000 (.jp2) as it provides a balance between file size and image quality. Before finalizing the export, click the Export Bounds tab in the Export Options dialog box and choose one of the available options to limit the geographic extent of the exported file, otherwise you may inadvertently generate an extremely large file. Note that saving data will take considerably longer than simply displaying it on the map, so be prepared to wait some time for the file to be saved.

Using the Digitizer

Arguably the most important tool in Global Mapper, the Digitizer allows you to create, delete, edit, move, reconfigure, and copy points, lines, and area features on the map. The most frequently used Digitizer components can be accessed directly from the Digitizer (Create) toolbar, but many more tools are available by right-clicking on the map after the Digitizer has been enabled.

When used by itself, the Digitizer is a selection tool. After clicking the Digitizer button in the toolbar, the position of the cursor is represented by a crosshair with the word EDIT displayed below, and in this mode, points, lines, and area features can be selected in preparation for editing, moving etc. Individual features can be selected by simply clicking the feature on the map or multiple features can be simultaneously selected by clicking and dragging a box that encompasses the extent of the required features or by holding the Ctrl key while selecting multiple individual features.

Drawing Freehand Features

The following buttons are used to manually create vector features on the map:

Point features or text are created by simply clicking at the required location on the map.

Line features are created by clicking at each desired shape point on the map. The line is terminated using the right mouse button.

Trace-mode lines are created by clicking and holding the left mouse button while moving the mouse over the map.

Area features or polygons are created by repeatedly left-clicking on the map. Right-click to add the final point, which is automatically connected to the first point.

Rectangular areas are created by holding down the left mouse button while moving the cursor between the opposite corners. Squares are created by holding the Shift button down while dragging.

Circles are created by holding down the left mouse button while moving the cursor outwards from the center point to define the radius. An ellipse is created by holding the Shift button down while dragging.

Additional Digitizer Tools

The Digitizer (Advanced) toolbar contains several buttons for activating specialized vector creation tools, such as the CoGo tool for creating line or area features by entering specific dimensions and the



Range Ring tool for generating concentric circular area features of a specified radius around a point.

The Digitizer right-click menu offers numerous advanced drawing tools that are organized in submenus by type (areas, lines, and points) as well as an extensive collection of tools for reformatting, editing, and converting vector features.


The Modify Feature Info Dialog Box

The Modify Feature Info dialog box appears after a new feature is created or when the right-click > *EDIT* option is chosen after a feature has been selected with the Digitizer tool. This dialog box includes options to establish the target layer for the feature, style settings, and tools for adding or editing attributes.

The Feature Type dropdown list provides the means to assign the selected feature to a preformatted classification, which automatically determines the visual characteristics as well as the attribute fields that are associated with this type. Additional Feature Types can be added to the list by clicking the Create New Type button.

Editing Vector Features

Global Mapper provides tools for editing both the geometry and physical appearance of vector objects as well as the attributes or information that is associated with each feature. Note that modifications made to an imported layer are not automatically applied to the source file. Instead, the layer must be exported in the appropriate format to apply any edits to a original file.



Before initiating any editing function, the feature or features must be selected with the Digitizer tool as previously described. The act of selecting a feature activates several additional buttons in the toolbar that offer such options as moving, rotating, scaling, and con-

Modify Feature Info
Name: Point 1 Location
Feature Type
Unknown Point Feature V Create New Type
Feature Layer (* Required)
Enter a new or choose an existing layer name
Feature Description Use Custom Description: Feature Style © Use Default Style for Selected Feature Type Concernity Date to Itse When Rendering Feature Sample
O Specify Style to Use When Rendering Feature Sample
Rotation Symbol Size Name Font/Pos
3D Model: XXXX No 3D Model XXXX V
Feature Attributes
Attribute Name Attribute Value
Add Edit Delete Add File Link(s) Add Time Stamp
Add/Edit Notation
Altitude Mode: Use Layer Setting
Model Placement: Use Layer Setting
Apply Settings from Selected Feature Apply Settings from Previous Feature
Copy Attr Names from Feature Layer
Automatically apply these settings to new features of the same type
OK Cancel

verting features. Additional geometric editing options are available by right-clicking on the map.

Global Mapper also provides the ability to edit the shape and size of individual lines or area features by adding, moving, or deleting vertices or shape points. To enable this function, make sure the option to display vertices for selected objects (right-click > *Options*) is enabled. Vertices can then be selected with the Digitizer tool and, using the right-click > *Vertex Editing* function, can be modified in several ways.

To restore the original geometric shape or position of a feature, select it with the Digitizer tool and choose Move/Reshape Feature(s) > *Restore Original Shape of Selected Features*.

Edits made to vector features can also be undone with the Undo functions in Global Mapper. Use the keyboard shortcut ctrl+Z or the Edit menu > Undo Last Operation option to undo recent edits

to vector features.

Deleting Features

The easiest way to delete a feature in Global Mapper is to select it with the Digitizer tool and use the Delete key on your keyboard. Although the feature will be removed from view, it is not permanently erased and can be easily recovered if necessary. Using the keyboard shortcut Ctrl+Z immediately after deleting the feature will undo the deletion. Alternatively, you can toggle the display of all deleted features using the keyboard shortcut Ctrl+Shift+D and, using the Digitizer tool, right-click and choose the Undelete option.

Working with Attributes

The Modify Feature Info dialog box, previously described in the Using the Digitizer section, offers the option to manually add or edit attributes for one or more selected features. New attribute fields can be created and the corresponding values can be manually entered. For large numbers of features, this can be a time-consuming and laborious process, so it is typically recommended that attribute fields are automatically applied by assigning them to an appropriate Feature Type or, if possible, joining attributes from and external source.

The Attribute Editor

Accessed with the Control Center toolbar button or by right-clicking on one or more layers in the Control Center, the Attribute Editor provides a tabular display of all of the attribute data for each layer, separated into individual tabs. Within this dialog box, attributes can be queried, sorted, edited, and exported.

	K 🚹 📑 🗓 ture Type> TO\		· 📑 🗂 🤅		
	ture Type> TO\				
<unnamed fe="" td="" unkn<=""><td></td><td>WN C</td><td>COUNTY</td><td><feature description=""></feature></td><td><feature laye<="" td=""></feature></td></unnamed>		WN C	COUNTY	<feature description=""></feature>	<feature laye<="" td=""></feature>
	own Are Sto	nington H	Hancock	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Ma</td><td>chiasport V</td><td>Washington</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Ma	chiasport V	Washington	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Crie</td><td>ehaven Twp K</td><td>(nox</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Crie	ehaven Twp K	(nox	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Crie</td><td>ehaven Twp K</td><td>(nox</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Crie	ehaven Twp K	(nox	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Ma</td><td>chiasport V</td><td>Washington</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Ma	chiasport V	Washington	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Dee</td><td>er Isle H</td><td>Hancock</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Dee	er Isle H	Hancock	Unknown Area Type	Maine_Towns
<unnamed fe="" td="" unkn<=""><td>own Are Crie</td><td>ehaven Twp K</td><td>(nox</td><td>Unknown Area Type</td><td>Maine_Towns</td></unnamed>	own Are Crie	ehaven Twp K	(nox	Unknown Area Type	Maine_Towns
	own Are Ow	ls Head K	Knox	Unknown Area Type	Maine Towns
<					>
				Row	/s: 8243

Joining and Calculating Attributes

The join process in Global Mapper allows external data to be assigned to the appropriate features in an existing layer for the purpose of creating additional attribute fields. Before beginning this procedure, it is essential that each feature has an existing attribute that matches a corresponding value in the data being joined. The join can be based on a one-to-one match, where each entry in the imported data matches one feature on the map, or it can be based on a one-to-many approach, where an individual record in the data is assigned to several features on the map.

To initiate the join process, click the Join Attributes button in the Attribute Editor. Supported formats for the external tabular data include .txt, .csv, and dbf.


The Calculate Attributes function, which is also accessed using a button in the Attribute Editor, is used to create a new attribute field by applying a calculation to an existing attribute. Calculation options include standard numeric operations, such as add and multiply; text-based operations, such as append or prepend text; or advanced formulaic operations.

Advanced Attribute Options

Global Mapper provides several options for automatically creating or updating attributes. After selecting a feature or features on the map with the Digitizer tool, the right-click menu offers an Attributes/Style Functions submenu that can be used to automatically assign attributes using a variety of criteria. For instance, with an underlying elevation layer, you can assign elevation and slope values to selected features or you can add an attribute with a count of the number or point features inside a selected area.

Using the 3D Functionality

In order to utilize Global Mapper's 3D functionality, the data with which you are working, must have an inherent elevation or height value. Both vector features and appropriately formatted raster layers can include this "Z" value and can be modeled in a three-dimensional perspective.



The most common application for 3D data is to generate a terrain surface, which is the basis of many of Global Mapper's analytical functions, such as watershed delineation and flood level modeling. A height value can also be applied to a vector feature or to individual vertices that comprise a vector feature, which allows the feature to be extruded from a terrain surface.

Where to Find 3D Data

As with the standard raster and vector data formats, there are numerous sources of 3D or elevation data. Global Mapper's Download Online Data function provides several preformatted datasets that can be downloaded free of charge, or through a subscription to one of the listed data providers. Global Mapper also supports dozens of preexisting elevation formats, such as DEM and Arc/Info Grid files, which are imported using the normal File > Import process. Simple text files that include elevation values along with coordinates can be imported using the File > Import Generic ASCII Text File(s) command and can be gridded to create an elevation layer. Finally lidar (Light Detection and Ranging) data can be imported and processed to create a high-resolution surface model.

Creating a Terrain Map from 3D Vector Features


The process of generating a raster elevation layer from an array of vector features that contain an elevation value involves gridding the data. This procedure typically follows the import of an XYZ text file or lidar file, but it can also be performed using other vector files such as contours. To create an elevation grid from a selected layer, right-click on the layer in the Control Center and choose Analysis > GRID or click the Create Elevation Grid button in the Analysis toolbar. In both cases, the Elevation Grid Creation Options dialog box will appear, which offers a number of options for configuring the gridding process.

3D Options and Preferences

By default, an elevation layer will be displayed using the multi-colored Atlas Shader, although there are several additional options in the Shader dropdown list. A simulated hill shade or shadow effect will also be applied to accentuate variations in the terrain. This can be disabled using the Hill Shade button. Additional 3D options can be established in the Configuration dialog box.

Grid Creation Op	tions	×
Grid Options Tili	ng Grid Bounds	
Layer:	Terrain Layer	
Grid Type:	Elevation Values V as Grid	
Grid Method:	Triangulation (Grid TIN of Points)	\sim
Vertical Units:	METERS V Data Type: 32-bit Floating Point	
	Filter Lidar Points to Use by Elevation/Class/Color/Etc	
Grid Spacing		
 Automatica 	ally Determine Optimal Grid Spacing	
O Manually S	specify the Grid Spacing to Use: 0 meters	
	change the ground units that the resolution is specified in, you need	to
change the cu	irrent projection on the Projection tab of the Configuration dialog.	
	" Distance Criteria [421.7]	
it is considered	ntrols how far from a known data point that a grid cell has to be befo invalid. The default setting assumes all grid points are valid. Lower le valid grid stay tighter around known data points.	re
Tight	Lo	ose
Use 3D Area	/Line Features as Breaklines (Hard Edge)	
	listance (Bin Grid Methods Only): 2 samples	
Ignore Zero I		
	ulation Network (TIN) as a Vector Layer	
_	unding Box Instead of Just Inside Convex Hull Directly to Global Mapper Grid Files Rather than Displaying in the Mi	ain
Map View. U	ise with Tiling Tab options to Allow Gridding of Very Large Data Sets	
Only use Cur	rently Selected Lidar Features to Create the Grid	
	OK Cancel Apply H	lelp

Visualizing the Map as a 3D Model




A supplementary map window in Global Mapper provides the means to view any data with a height or elevation value as a three-dimensional model. This window is opened using the 3D View button in the Viewer toolbar. This window can also be docked adjacent to the corresponding 2D map.

Many of the same zooming and panning functions that are used in the 2D map view are also available in the 3D window. Additional tools allow the vertical exaggeration to be increased, the perspective to be changed to ground level, and water inundation to be simulated. The 3D window also includes a Save function that allows the current 3D view to be captured as an image. Additional settings for the 3D view can be found in the 3D View Properties section of Configuration.

Working with Point Cloud Data

With the availability of 3D data sources and collection methods expanding, more and more point cloud data is being used to create highly accurate terrain models, meshes, and other 3D data. Global Mapper works with both lidar (Light Detecting and Ranging) date and photogrammetrically derived point cloud data. In its native format, this is a series of closely-spaced points, each of which contains precise coordinates, an elevation, possibly a classification that denotes the type of feature that the point represents (ground, vegetation, building, etc.), and several additional attributes. Recent developments in Global Mapper have expanded support for both the standard lidar files (.las and .laz) as well as other point cloud formats. Global Mapper Pro offers advanced lidar processing tools.

Lidar data is imported using the standard import procedure (Ctrl+O) however the subsequent import options dialog box is unique to this format. In this window, the data can be filtered, sampled, and if required, can be directly gridded into an elevation layer.



After importing, the points will inherit the colors of the currently selected shader and will reflect the elevation value if no RGB values have been assigned to each point. Using the layer's Options dialog box, the display of the points can be changed to represent other variables such as classification or intensity. Also unique to this format is the Edit function, which is accessed by right-clicking after selecting one or more of the lidar points with the Digitizer. In this dialog box, the point's classification can be edited and other attributes modified.

3D Analysis Functions


Global Mapper offers several analysis tools that utilize loaded elevation or terrain layers.



This tool is used to delineate the potential for the terrain to support the flow of water using linear features to represent stream channels and area features to outline watersheds or catchment areas.



A Path Profile is a cross-sectional view of the terrain as represented by a line feature. The Line-of-Site analysis, which will only work with a single segment line, shows where obstructions impede the view or transmission path from one end of the line to the other.



View Shed Analysis

The View Shed tool outlines which areas are visible or are within the broadcast range of defined location. Options such as azimuth range, distance, and height of the point of origin can be customized in the view shed analysis setup dialog box.

Water Level Rise/Flood Simulation

Based on a selected area or on actual sea level, the Water Level Rise/Flooding tool outlines those areas that will be impacted by a specified increase in water level.

Contour Generation

The creation of contour lines is one of the most common uses for elevation data in Global Mapper. The Contour Generation Options dialog box allows the contour interval to be established, supplementary areas features to be created, and other settings to be applied.

Calculating Volume Between Surfaces

With two overlapping elevation layers loaded, such as a surface layer and a subsurface bedding plane, this straightforward tool calculates the volume of material between the two.

Comparing/Combing Terrain Surfaces

This tool creates a new elevation layer from an operation or calculation applied to the elevation values in two overlapping layers. Operators include subtraction, average and maximum.

Cut and Fill Calculation

Available as a right-click option when either a line or area feature has been selected with the Digitizer, the Cut and Fill calculation tool determines the volume of material that will need to be removed and/or added to create an artificially flattened surface.

Assigning Height or Depth to Vector Features

Any point, line, or area feature can have an associated z-value, which allows it to be modeled in a 3D environment relative to other vector features or to a loaded terrain surface.

When importing a vector layer, Global Mapper will automatically look for an existing vertical attribute, such height or elevation, and use that as the z-value. To manually assign a z-value, simply add a new attribute to the required

feature or features and type the elevation, height, or depth. To make sure Global Mapper recognizes this attribute as a z-value, open the Options dialog box for the layer in the Control Center and choose the appropriate attribute field from the Get 'Elevations' from Attribute Value dropdown list in the Elevations tab.

It is also possible to add a unique z-value to each vertex that comprises a line or area feature. This procedure is initiated by clicking the Vertices button in the Modify Feature Info dialog box for a selected feature.

Working with 3D Models or Meshes

Global Mapper supports several 3D Model formats including OBJ, DAE, and STL files. These are rendered as top-down vector features in the 2D map view but assume their full 3D characteristics when displayed in the 3D View. Using Global Mapper Pro, 3D models can be created from selected points in a point cloud layer or as a by-product of the Pixels-to-Points tool.

Creating a 3D Fly-Through Recording

9	Fly-through Path	Properties							
-					_				_
1	. х	Y	z	Time	Velocity	Heading	Pitch	Bank	^
0	732270.822	6899491.503	140	0.00	23.37	99.31	0.00	0.00	
1	732310.229	6899484.255	140	1.71	23.37	178.89	0.00	0.00	-
2	732310.229	6899455.266	140	2.95	23.37	158.33	0.00	0.00	
3	732325.177	6899415.406	140	4.78	23.37	115.45	0.00	0.00	
1		6899412.688	140	5.04	23.37	101.03	0.00	0.00	
5	732366.396	6899404.988	140	6.60	23.37	36.01	0.00	0.00	
6		6899421.747	140	7.50	23.37	64.93	0.00	0.00	
7		6899423.559	140	7.69	23.37	68.33	0.00	0.00	
8		6899426.277	140	8.02	23.37	142.02	0.00	0.00	
6		6899419 030	140	8.41	73 37	148.63	0.00	0.00	<u> </u>
1	kuto-Generate Fly-t	hrough Data							
	Camera Mode								
	Straight Ahead	t i							
	O Fixed Direction	1							
	Heading (degr			tch (deg	mente 0				
		eesj: >>	. "	ion (aeg	rees,:				
	Pixed Point								
	X: 0	Y: 0	Z	0		Select From	n Map		
1	Compute bank ar	igle from bearing	change	5					
1	Smooth result (R	ecommended for I	ines or	eated in	trace mode	:)			
									-
	Sevation Mode:	Absolute	`	< Be	ration (met	ers): 14	0		
	Duration (seconds):	25		_ A.v	Velocity @	nh)- 23	3689		
	ra over i prece says								-
	Generate Fly-thro	woh Data	Clear F	ly-then	gh Data	Ind	ate Vertex	Velocity	
	and the rest of the rest	-				1	THE THE VER	readily	
		Expo	tFly-8	rrough P	ath Layers				
		OK		Cancel		Help			
				00.00		- top			

Global Mapper provides a simple tool for creating a

video file that records a user-defined path through any 3D environment. The process of creating the path is initiated with the Digitizer tool and can use a drawn line, imported line feature, or GPS track file. The line itself does not have to contain any particular characteristics or attributes but is simply used to define the course of the flight.



After selecting the line, the Create Fly-Through button will be available in the Analysis toolbar. Clicking this button opens the Fly-

Through Path Properties dialog box, in which the flight settings are established. These settings include height above ground, flight duration, camera angle, and pitch.

In the 3D Viewer, a series of buttons control the preview, playback, and recording of the video file.



Using Global Mapper Pro


Global Mapper Pro is an optional add-on component of the software that opens up a suite of advanced functionality including tools for lidar and point cloud processing, advanced terrain analysis, script editing, and Python scripting.

Activating Global Mapper Pro

Global Mapper Pro is installed with the standard version of Global Mapper however a valid registration key is required to activate it. This key can be ordered on the Blue Marble website or it can be added to your original purchase. To activate Global Mapper Pro, use the Help menu to choose the License Manager. Simply checking the box next to the Global Mapper Pro will trigger the registration window. After activating the license, the Global Mapper Pro functionality will be immediately available.

Advanced Lidar and Point Cloud Functionality:

A key feature of Global Mapper Pro is a set of toolbars that include buttons for reclassifying point returns, applying filters, extracting vector features from a point cloud, and creating a point cloud from overlapping aerial images. Behind the scenes, Global Mapper Pro significantly improves the performance of point cloud related processes and offers several visualization options including cross-sectional viewing and editing of a swath of points.



Manual classification of points can be applied to selected points with buttons from a third toolbar in the 2D and Path Profile/LOS views.

Photo Generated Point Clouds and Models:

🗼 🧔 🖗 🖪

The Pixels to Points[®] tool uses photogrammetry methods to create 3D point clouds, orthoimages and/or photo-textured 3D Models from overlapping images. Ideally suited for UAV or drone operators, Pixels to Points analyzes the relationship between recognizable objects in adjacent images to determine the three-dimensional coordinates of the corresponding surface.

To create a point cloud, simply click the Pixels to Points button and load your images into the resulting dialog box. Apply the necessary settings and add ground control points if available before clicking the Run button.

<u>P</u> X



Pixels to Points T Map									
nput Image Files 14	8 of 148 Images Ched	ked			Image Preview (DJI 0453.	.JPG)			
Filename DJI_0449.JPG DJI_0450.JPG DJI_0451.JPG DJI_0452.JPG DJI_0452.JPG DJI_0455.JPG DJI_0455.JPG	Lattude 44° 18' 01.2354" N 44° 18' 01.2354" N 44° 18' 00.6607" N 44° 18' 00.6607" N 44° 18' 00.6607" N 44° 18' 00.6607" N 44° 15' 00.1154" N 44° 17' 59.7540" N 15 15 16 17 18' Points Li	Longitude 72° 58' 04.2276" W 72° 58' 04.7173" W 72° 58' 05.4678" W 72° 58' 05.6994" W 72° 58' 07.4379" W 72° 58' 07.4379" W 72° 58' 08.6727" W	225.671 m 225.771 m 225.871 m 226.171 m 225.771 m 225.571 m 225.771 m	Relative Altit. 59.7 m 59.8 m 59.9 m 60.2 m 59.6 m 59.6 m 59.8 m 59.6 m 59.8 m 59.7 m 50.7		0			
	0 44° 17 0 44° 17 0 44° 17 0 44° 18 Remove Selected	7 59.7340°N 72° 58 7 59.3184°N 72° 58 7 58.8943°N 72° 58 7 01.1983°N 72° 58 7 01.1983°N 72° 58	8' 05.4856" W 8' 10.2552" W 8' 09.6790" W	168.341 m 🗸	Add Control Point to Ime Select Less Noisy Result]	Options	e (Faster / Less Memo ude Based on Ground H		1 m
Point 3 • Point 4 •	0 449 17 0 449 17 0 449 18 Remove Selected Generated Point Clo Generated Point Clo Generated Orthor Resolution: 1	7 59.3184" N 72° 58 7 58.8943" N 72° 58 8 01.1983" N 72° 58 Cloud Dud by Resampling Ma	8' 05.4856' W 8' 10.2552' W 8' 09.6790' W iesh (3D Model) s	166.39 m 165.552 m 168.341 m v	Select Less Noisy Result] Select ampling (Nearest Neighbor', ~	Options Reduce Image Size Use Relative Altitu Harmonize Color Enable Clustering		Height of 208.50	1 m Setup
Point 3 Point 4 New Point Dutputs Point Cloud	0 449 17 0 449 17 0 449 18 Remove Selected Generated Point Clo Generated Point Clo Generated Orthor Resolution: 1	7 59.3184*N 72* 52 58.8943*N 72* 52 701.1983*N 72* 52 cloud oud by Resampling Mimage Point Spacings Quality Orthoimage fin	8' 05.4856' W 8' 10.2552' W 8' 09.6790' W iesh (3D Model) s	166.39 m 165.552 m 168.341 m v	Select Less Noisy Result] Select ampling (Nearest Neighbor', ~	Options Reduce Image Size Use Relative Altitu Harmonize Color Enable Clustering Save Work Files to Analysis Method O Incremental (Dv Global - Works	de Based on Ground H Upper Bound 100 Lower Bound 50 D Allow Resuming Cance efault) - Typically Best	teight of 208.50	Setup

The Pixels to process is intenseive and may take some time to process depending on the input data, quality settings applied, and machine memory and resources available.



Image and Terrain Analysis:

Terrain Painting for manually altering digital terrain models.

Automatic Breakline Extraction to create vector line features at distinct changes in elevation/slope.

A Vectorize Raster tool to extract and smooth vector areas from raster image and terrain layers.

Scripting Tools:

Script Editor dialog with syntax coloring for building, editing, and running Global Mapper and Python scripts.

Python programming language integration.

Exporting and Printing Maps

Efficient file exporting and map sharing are essential components of any GIS and play a major role in the functional makeup of Global Mapper. Just as the software can support a vast array of file formats for importing, similarly hundreds of file-types can be exported ensuring Global Mapper's interoperability with many third-party applications.

When exporting data from Global Mapper, there are several issues and factors that need to be taken into account:

All compatible layers and/or visible features will be exported by default. In other words, Global Mapper will create a single file for all displayed layers by merging multiple layers into one file. In order to export the contents of a specific layer, right click on the required layer in the Control Center and choose Layer > *EXPORT*.

There is no automated process for saving edits or additions to an imported file. In order to save changes to the source file, you need to export the layer in the same format and overwrite the original file.

The projection and coordinate settings for any exported data are established in the Projection tab of the Configuration dialog box. Regardless of the projection parameters of each imported layer, this global projection will be assigned to all exports.

Each export format's options dialog box has a set of format-specific settings that are applied to the file being exported. Common to all formats are an Export Bounds option, that can be used to limit the geographic extent of the data being exported, and a Gridding or Tiling option that can be used to break up a single large file into several smaller files.

Exporting Global Mapper Package Files


When sharing data with other users of Global Mapper, the Global Mapper Package format is the preferred choice. This proprietary format supports all compatible data-types and allows multiple layers to be simultaneously transferred in a single compressed file. When imported, the Global Mapper package file will recreate the layer structure of the original data.

Global Mapper package files can also be employed as a means for backing up critical datasets. This ensures that the data can be effectively restored in the event of a loss of the original data or hardware failure. To create a package file, click the File menu and select Export > Export Global Mapper Package File...

Exporting Vector, Raster, and Elevation Layers

Unlike Global Mapper's import process in which a single Open command is used to access all compatible data, exporting requires the selection of a data type (vector, raster, or elevation) and subsequently a specific file format. The Export submenu under the File menu offers these three options. The selection of a format for the exported data will depend on the intended use of the resulting file and its compatibility with the third party software into which it will be imported.

Exporting to a Spatial Database



In the same way that Global Mapper provides a streamlined way to import data from a spatial database, any loaded data, regardless of its origin, can be written out to any of the supported database formats. As when exporting data in file format, the Export submenu provides three database export options: raster, vector, and elevation.

Uploading Maps to an Online MangoMap

MangoMap is an online mapping service that provides a simple and efficient way to share geospatial data with anyone, on any device. Beginning in version 21, Global Mapper users can set up a MangoMap subscription and publish map directly from the software. To initiate the process, click the MangoMap button the toolbar.

Printing the Map

Before sending a map to a connected printer, Global Mapper offers a powerful page layout tool that can be used to add cartographic elements such as a title, legend, and scale bar to the map. Using a what-you-see-is-what-you-get approach, the Map Layout Editor simplifies the production individual maps or map books.


Creating a Geospatial PDF

Capturing a map view as a Portable Document Format (PDF) allows the map to be shared with virtually anyone, regardless of their computer's operating system. Global Mapper's PDF export function also retains the inherent layering structure and geographic referencing information so that the map viewer can turn on and off layers as needed, can see the coordinates when their cursor is moved over the map, and can perform simple cartographic functions such as measuring distances.

Exporting a PDF is similar to sending a map to a printer and includes many of the same setup options. To create a PDF, click File > Export > Export PDF File... Additionally, a geospatial PDF can be created in the Map Layout Editor window.

Capturing a Screenshot

Perhaps the simplest way to share a map, the Capture Screen Contents to Image command is an available option in the File menu or by using the Shift+C keyboard shortcut. The resulting dialog box offers the choice of four common image formats and includes an option to save a projection and/or world file that will allow the image to be imported into a third party GIS application.



Where to Find Help

Global Mapper Help Documents

Global Mapper's searchable help system is automatically installed with the software and is accessed from the Help menu or by clicking the F1 key. You can either browse through the contents section or search for a keyword to find information on the function in question. Embedded hyperlinks help you navigate between sections and provide supplementary information about the selected topic.

Online Resources

An online version of the complete User's Manual is available here.

Recordings of the Global Mapper webinar series, which cover a variety of topics in the software can be viewed on the Blue Marble YouTube channel.

The Global Mapper Forum

The Global Mapper Forum is an active online community of users and experts from a wide variety of industries and fields. Forum participants have the opportunity to ask questions, offer tips, and participate in discussions about the use of the software and its future development. Many new users find browsing through the posted topics to be an invaluable part of their learning experience.

A link to the Global Mapper Forum is available in the software's Help menu or you can navigate directly to the following site: www.globalmapperforum.com

Training Opportunities


Both public and company-specific training opportunities are available to help you get the most out of the software. The availability of scheduled public classes and information about registering is posted here: <u>https://www.blue-marblegeo.com/gis-training/public-gis-training/</u>

Customized on site or online classes can also be arranged for individual companies or organizations. For information, email:

training@bluemarblegeo.com

Global Mapper Support

After all other self-help options have been tried, on-demand support is available to resolve any issues with the installation, registration, or performance of the software. Support requests are initiated using the preconfigured form on the following web page: <u>https://www.bluemarblegeo.com/forms/support.php</u>



Useful Keyboard Shortcuts

General Application

Open the User Guide	F1
Display 3D Window	Ctrl+3
Print	Ctrl+P
Exit Global Mapper	Alt+X

File Management

Open data file (import)	Ctrl+O
Save the current workspace	Ctrl+S
Load a workspace	Ctrl+W
Unload (remove) all layers	Ctrl+U
Copy selected features to the clipboard	Ctrl+C
Delete and copy selected features to the clipboard	Ctrl+X
Paste features from the clipboard to a selected layer	Ctrl+V
Open the Overlay Control Center	Alt+C

Tools Selection

Digitizer Tool	Alt+D
Feature Info Tool	Alt+P
Measure Tool	Alt+M
Zoom Tool	Alt+Z

Zooming and Panning

Zoom in	Page Down
Zoom out	Page Up
Zoom to full extent of all loaded data	Home
Pan the Map (¼ screen increments)	Arrow Keys
Pan the Map (Entire screen)	Ctrl+ Arrow Keys

Digitizer Functions

Edit the feature under the cursor	Left Double-Click
Select a feature and automatically enter move mode	Alt+Left Click
Undo Last Operation	Ctrl+Z
Cancel the current operation	Esc
Delete the selected feature	Delete
Undelete the selected feature	Shift+Delete
Temporarily disable snapping when drawing a feature	Alt+Left Click

Custom Keyboard Shortcuts

Additional keyboard shortcuts can be manually assigned using the Favorites dropdown list in the toolbar.

How do I...?

How do I register Global Mapper?

After installing Global Mapper, launch the software and you will see the Register Global Mapper widow. If you purchased a license, enter your account information as prompted to unlock the full functionality.

How do I reproject a layer?

Open the Configuration dialog box (Tools > Configure), select the Projection section and update the projection and coordinate parameters as needed. These settings will be applied to all loaded data and will be applied to exported layers.

How do I change the background color of the map window?

Click the View menu and choose Background Color... The selected color will be saved in the current workspace.

How to I recover a deleted feature?

Use the Ctrl+Shift+D keyboard shortcut to toggle the display of deleted features. Select the required feature with the Digitizer tool, right-click on the map, and choose Undelete to restore the feature to its original state. Alternatively, use the Ctrl+Z keyboard shortcut right after deleting the feature.

How do I add text to the map without an accompanying symbol?

Select the New Point tool from the Digitizer (Create) toolbar and click at the location of the map where you would like to place the text. In the resulting Modify Feature Info dialog box, type the text you would like to add in the Name field and choose Text from the Feature Type dropdown list.

How do I save map layers from an online data source for offline use?

After the required online data is displayed on in the map window, click the File menu and choose Export > Export Raster/Image Format. In the Export Options dialog box, make sure the Export Bounds settings match the geographic coverage requirements. Leaving the default All Loaded Data may result in an extremely large file and increase processing time. After the export process is complete, close the connection to the online data in the Overlay Control Center and import the previously exported file.

How do I automate data processing tasks in Global Mapper?

There are several tools that can be employed to streamline certain data processing tasks. In the File menu, the Batch Convert/Reproject command can be used to collectively translate multiple files of a specific type into another format and/or to reproject the data to another coordinate system. Scripting can also be used to automate multiple tasks in a workflow. A script is a simple text file that contains a series of commands and associated parameters for importing, processing and exporting data. For more information on scripting go to the following web page: www.blue-marblegeo.com/knowledgebase/global-mapper/ScriptReference.html